
**BIO-CON, INC. V. MICROTEx, INC.
NEGOTIATION, MEDIATION, OR ARBITRATION**

Information for the Bio-Con CEO

Summary of Background Facts	p. 1
Confidential Information for Bio-Con CEO	p. 3
Claims for Relief	p. 10
Summary of Disputed Issues of Fact	p. 11
Excerpts from Pertinent Statutes & Decisions	p. 12
Relevant #'s for Damages Calculations	p. 14
Stipulation Regarding Expert Testimony	p. 16
Exhibit A	p. 17
Exhibit B	p. 18
Exhibit C	p. 19
Exhibit D	p. 20
Exhibit E	p. 21
Bio-Con Scientist Deposition Summary	p. 22
Microtex Scientist Deposition Summary	p. 25
Stewart Surgical Scientist Deposition Summary	p. 29
Assessment Questionnaire	p. 31



Bio-Con, Inc. v. Microtex, Inc. Summary of the Background Facts

Microtex is a Delaware corporation headquartered in Massachusetts that develops and sells proprietary antimicrobial ingredients throughout the world. Recently, it has sought to develop uses of antimicrobial ingredients as coatings on various medical devices.

Bio-Con is a publicly held Massachusetts corporation, also headquartered in Massachusetts. Bio-Con competes with Microtex in the sale of antimicrobial ingredients. It is Microtex's primary competitor, arguably its sole competitor in the development of antimicrobial coatings for medical devices. The creative force behind Bio-Con is Fredda Hitchcock, the inventor of MGUPHN (Microbe Guard Prototype Hyper-Net), a revolutionary patented antimicrobial system for which Bio-Con holds the exclusive license in the U.S. and Canada.

In early [Year-3]¹, Microtex and Bio-Con discussed the possibility of a joint venture to develop an all-purpose antimicrobial application for medical devices. Early in their mutual discussions, on March 1, [Year-3], Microtex and Bio-Con entered into a Confidentiality Agreement covering proprietary information disclosed by Bio-Con in the course of the parties' negotiations. They also met together with representatives of MegaMed, North America's largest manufacturer of medical equipment, regarding a possible long-term contract for the contemplated joint venture.

During a meeting of the parties on April 15, [Year-3], Bio-Con representatives conducted a demonstration of the high-temperature bonding process by which the MGUPHN forms part of the matrix of the surface coating on medical implements. Bio-Con also informed Microtex representatives that a prototype of the MGUPHN system was being field tested by Stewart Surgical Equipment Company.

In late April and most of May [Year-3], joint venture discussions turned to more formal negotiations between Microtex and Bio-Con over financial, business, and legal terms. The science, research and development, and engineering teams of the respective companies met for a day, off-site, to discuss technical issues and to work out staff assignments, for the anticipated MegaMed contract and potential future contracts. The meeting was co-chaired by the chief scientists of each company, and counsel was present to handle questions affecting licensing and patent protections. The parties' evaluations of that meeting and its outcome are in dispute. Within a week after the meeting, the CEO of Bio-Con signed a five-year lease for an additional 20,000 square feet of laboratory and office space in the name of the joint venture in Industrial/Commercial Office Park in which Bio-Con was located.

Shortly thereafter, the negotiations between Bio-Con and Microtex hit a snag. Despite counsel's attempts to facilitate negotiations, on June 1, Microtex's CEO sent a letter to Bio-

¹ Readers should assume that it is now sometime within the first quarter of the current year. The current year is represented here as [Year-0]; a year ago is [Year-1], two years as [Year-2] and so on. Future years are represented as [Year+1], [Year+2], etc.



Con's CEO formally terminating the negotiations, expressing regret over irreconcilable differences in the parties' interests concerning the joint venture, and suggesting that both companies would be better off pursuing other business expansion opportunities. Bio-Con's CEO responded by letter stating that execution of a written joint venture agreement was a mere formality, that the joint venture between Bio-Con and Microtex already existed by virtue of their mutual understanding and agreement, and because both companies had taken affirmative steps and undertaken financial commitments evidencing the joint venture. While the parties dispute the reason for the breakdown in negotiations, it is undisputed that no joint venture agreement was ever signed.

On May 20, [Year-3], Microtex engineer Claude Ranés contacted Kay Surrah, a Vice President of Stewart Surgical Equipment Company. It is undisputed that Ranés discussed with Surrah various technical aspects of MGUPHN-coated surgical arms being tested by Stewart as well as Stewart's field-testing protocols. After explaining that they might be interested in retaining Stewart to do testing and perhaps market their antimicrobial technology, Microtex obtained a component of a MGUPHN-coated arm from Stewart. Bio-Con contends that Microtex went to Stewart Surgical because it learned in the April meeting that Bio-Con's material was being tested there and that Microtex submitted the MGUPHN-coated arm to destructive "reverse engineering" testing in order to copy the Bio-Con technology. Microtex disputes all of this, asserting that its contact with Stewart did not arise from the April meeting and that its purpose in taking the MGUPHN-coated arm was to evaluate Stewart's testing protocols to determine whether to retain Stewart to test the Microtex anti-bacterial coating.

On June 14, Microtex engaged in discussions with MegaMed regarding a contract for Microtex's antimicrobial coating for medical equipment. In January [Year-2], the parties entered into an arrangement under which MegaMed would agree to use Microtex coating processes for two years and have an option at the end of that period (early [Year-0]) to extend the contract for another three years. MegaMed exercised this option (with a slight increase in volume); Microtex has now agreed to fulfill MegaMed's requirements for equipment coating until early [Year+3].

Bio-Con filed a demand for arbitration with the CPR Institute for Dispute Resolution, under the provisions of its Confidentiality Agreement with Microtex. Bio-Con also asserts claims for breach of contract and breach of fiduciary duty against Microtex. While Microtex vigorously denies all of Bio-Con's claims, it has agreed that the arbitration provision applies to the dispute. Under the CPR arbitration rules (and by agreement of the parties), document discovery has begun, and depositions have been taken of three witnesses. Prior to depositions scheduled for the CEOs of both companies, counsel agreed to discuss with the CEOs the possibility of negotiating a settlement of the dispute. Attached are the following:

- Confidential Information for your assigned role – CEO of Bio-Con, Inc.
- A Summary of the Claims for Relief asserted by Bio-Con in this litigation;
- A Summary of Disputed Issues of Fact;



- Excerpts from Pertinent Case Decisions and Statutes;
- A Summary of Potentially Relevant Numbers for Damages Calculations, if any;
- Stipulations Regarding Expert Testimony;
- Exhibits A-E; and
- Summaries of Depositions from 3 scientist witnesses.



Bio-Con, Inc. v. Microtex, Inc.

Confidential Information for E. B. Parker, CEO of Bio-Con, Inc.

You have been the CEO of Bio-Con, Inc. for the last 10 years. You worked your way up through the sales and marketing department of another bio-tech company before joining Bio-Con as its VP for Strategy and Business Development 20 years ago. You enjoy a good relationship with the company's board of directors. Your strength has always been in establishing personal connections and managing people. You have a reputation for honesty and trustworthiness. Your handshake and your word have always been as strong as any contract written by lawyers.

You had assumed the same was true of T.J. Mills, the CEO of Microtex. Before these joint venture negotiations, you had encountered T.J. many times over the years at conferences. His reputation was as a skilled business operator, but T.J. certainly never had a reputation for acting in bad faith or dishonesty.

Bio-Con's claim against Microtex is extremely important to your business and it is important to you, as matter of professional integrity. You personally chose the attorney to represent Bio-Con in this matter after a considerable checking on various attorneys' reputations for aggressively pursuing client claims. You were favorably impressed with the attorney at your initial meeting, and you signed an hourly fee agreement, reflecting his rate at \$250 per hour, and that of associates at \$150 to \$175 per hour. You know that these are the going rates, in fact quite reasonable for a partner in a large firm. The attorney indicated that after some initial discovery and an analysis, he might be willing to shift to a contingency fee, but you have not raised the issue. Bio-Con can afford it. Besides, when Bio-Con collects a large award, you will not be inclined to give the attorney a large chunk.

Through a series of meetings with the attorney, you have provided him with the following information and perspective relevant to Bio-Con's claim.

T.J. Mills of Microtex first approached you about a possible joint venture in January [Year-3] after a meeting of industry leaders in biotechnology, convened by the Governor of Massachusetts. You went to dinner to discuss the idea further. T.J. explained that Microtex had been working on an antimicrobial technology for surgical instruments for some time. You confirmed that Bio-Con had also expended considerable sums on the development of MGUPHN, an antimicrobial product used for coating surgical instruments. While T.J. did not say so in so many words, you understood that the Microtex product had hit some research and development snags. You remember T.J. saying: "You folks at Bio-Con are so top notch in R&D, and you've already spent a fortune, why not join forces on this one? We have tremendous production and engineering capacity, and we've also made a great deal of progress on the science. Why not jointly complete the development of MGUPHN and then



jointly engineer, produce, distribute and market the product in joint venture? Microtex's scientists could add their work to the mix. It would be a long time before any competitor could catch up to our combination."

You were frankly enthusiastic about the proposed joint venture. You believed (and continue to believe) that Bio-Con's strength is in pure R&D - the highest level of science needed to find microbiology solutions and develop highly technical products. Microtex would offer greatly expanded production engineering, distribution and marketing capacity. Frankly, Bio-Con's production capabilities were somewhat limited by the wide variety of smaller-volume bio-tech products it had already committed to producing. If additional production capacity and Microtex's engineering expertise with high-volume products could be tapped, the joint venture would make tremendous sense for both parties.

Given that T.J. Mills had approached you with the joint venture idea, you had no reason to doubt his seriousness. T.J. stated he would like to begin as soon as possible, and the venture could begin by spring.

The next day, you began work with your chief business strategist and your CFO to craft a business plan for the venture. Your analysis of the market for the MGUPHN product, pricing scenarios, and economies obtainable in production led to projections that Bio-Con's 50% share of profits in the joint venture would be at least \$10 million over the next 10 years. This made the joint venture an easy sell to your board of directors. You sent T.J. Mills a copy of the joint venture business plan for his review and comment.

T.J. called you the next day and said enthusiastically: "Your projections look very promising. Let's work on it." You met several times in February to discuss broad concepts for the venture. TJ always seemed on board to you. By late February, you agreed there would have to be an exchange of scientific information between the two companies. Thus, on March 1, Microtex and Bio-Con entered into a Confidentiality Agreement covering proprietary information to be disclosed by Bio-Con in connection with the joint venture. (See Exhibit A.)

You also met together with representatives of MegaMed, North America's largest manufacturer of medical equipment, regarding a possible long-term contract for the joint venture. At the meeting with MegaMed, you referred to Bio-Con's joint venture with Microtex and its ability to handle a large volume contract. T.J. Mills registered no objection, nor did he indicate any lack of commitment to the venture to you after the MegaMed meeting.

During a meeting of the parties on April 15, [Year-3], Bio-Con's Scientist and other members of the scientific team conducted a demonstration for Microtex's scientists of the high-temperature bonding process by which the MGUPHN forms part of the matrix of the



surface coating on medical implements. While you were only present at the beginning of the meeting, you understood that Bio-Con's representatives informed Microtex representatives that a prototype of the MGUPHN system was being field tested by Stewart Surgical Equipment Company.

On April 19, you met with T.J. again to review the essential terms of the joint venture. Based on T.J.'s expression of Microtex's interests in your last meeting, you proposed final terms on all of the material issues: how the profits would be allocated, how expenses incurred to date and in the future would be accounted for, and how the project would be staffed. One important question you discussed was the physical location of the project. It was your strong feeling that the project team members and production equipment should be housed in new space - not simply within either party's current facility. T.J. seemed to concur; he remarked that: "it would make sense to look into getting some space." At the end of the meeting, you jotted these terms in bullet point form on a sheet of yellow paper, and handed it to T.J. You then turned the negotiations over to your lawyers and top management staff, and authorized expenditures on closing documents and revisions to Bio-Con's public filings to reflect the joint venture.

From your perspective, the deal was done, and you sent Mills a congratulatory letter to that effect (See Exhibit B). Mills responded in kind. (See Exhibit C). For the most part, it had been done when both companies executed the Confidentiality Agreement. You had given your word, and Mills had expressed great enthusiasm for the project. The companies were working together. At Mills' suggestion, you asked your Chief Scientist, Greg Bergman, to convene an off-site meeting of both scientific teams to talk about how they would work together in the joint venture, and particularly on the anticipated MegaMed contract. You attended the first half-hour or so of the meeting, kicking it off with a nice pep talk. Greg Bergman reported back to you after the meeting that everything had gone well, and that there was general consensus on his plan for allocation of responsibilities.

On May 1, less than a week after the scientist's meeting, you learned from the landlord at Bio-Con's industrial park location that 20,000 square feet of office and laboratory space in the building adjacent to Bio-Con would be available for rent at \$60,000 per year under a 5-year lease. The landlord had called Bio-Con first because your VP had mentioned to him a year ago (before any notion of a joint venture) that Bio-Con might be interested in space for future expansion. The landlord needed to know within three days if Bio Con would take the space, at that price and under the same terms as its existing lease. You immediately called T.J. Mills, explained the situation, and described the space as perfect for the joint venture. He agreed that it sounded like an ideal setup and that the lease price was good, if you wanted to rent it.

Shortly thereafter, you learned from your lawyers and the CFO that negotiations over the documents had hit a snag. You understood that Microtex was insisting on language that



would give a great deal of autonomy and power to Microtex's scientific team. Despite counsel's attempts to facilitate negotiations, on June 1, Microtex delivered a letter to you which purported to "formally terminate the negotiation," expressing regret over irreconcilable differences in the parties interests concerning the joint venture and suggesting that both companies would be better off pursuing other business expansion opportunities. You were livid. Bio-Con wasn't still negotiating a deal; it already had one and you were working within it. Documentation of the terms was a mere formality. This was evidenced by the fact that the companies had begun to work together, had exchanged confidential information, and had undertaken financial commitments. You had a letter to that effect hand delivered to Mills but received no response.

You now know that on May 20, [Year-3], Microtex engineer Claude Ranés had contacted Kay Surrah, a Vice President of Stewart Surgical Equipment Company. It is undisputed that Ranés discussed various technical aspects of MGUPHN-coated surgical arms being tested by Stewart as well as Stewart's field-testing protocols. Undoubtedly assuming Microtex and Bio-Con were still working together within a joint venture, Kay Surrah provided Microtex with a component of a MGUPHN-coated arm from Stewart. You are now convinced that Microtex went to Stewart Surgical because it learned in the April meeting that Bio-Con's material was being tested there. Your chief scientist told you that Microtex submitted the MGUPHN-coated arm to destructive "reverse engineering" testing in order to copy the Bio-Con technology.

You have since learned that on June 14, Microtex engaged in discussions with MegaMed regarding a contract for Microtex's antimicrobial coating of many kinds of medical equipment. In January [Year-2], the parties entered into an arrangement under which MegaMed would agree to use Microtex coating processes for two years and have an option at the end of that period (early [Year-0]) to extend the contract for another three years. MegaMed exercised this option; Microtex has now agreed to fulfill MegaMed's requirements for equipment coating until early [Year+3].

You have never been angrier in your business career. You are certain the whole thing was a fraud and a set up. T.J. Mills was out to get Bio-Con's scientific secrets in MGUPHN because Microtex's R&D efforts had hit an expensive snag. T.J. approached you with talk of a joint venture just to get Microtex access to MGUPHN and an introduction to MegaMed. You spent hours and hours in meetings working out all of the terms. He never let you know that he had any reservations or objections. He led you along, so that you would believe you had a deal, even letting you go out and lease space. His scientist got the MGUPHN-coated arm from Stewart because of the joint venture.

T.J. can't have it both ways, either you had a real deal, or he is a bad faith deceiver. He never let you know of any so-called "breakthrough" in Microtex's lab, which might make



him want to pull out. Even if he can argue that no document was signed, surely you had a deal that you were working in good faith toward a joint venture.

On behalf of the board and the shareholders, you told your lawyer that Bio-Con should be made whole and that it should recover treble (or at least double) damages plus attorneys' fees under Massachusetts law. If there was ever a case of fraud and deception, this is it!

Relying on Microtex's agreement in principle to the terms you scribbled in the meeting with T.J., or at least Microtex's good faith participation in the negotiations, Bio-Con spent \$100,000 in attorneys' fees: \$50,000 on the legal end of the negotiations, \$50,000 in drafting (of which \$25,000 was for documents in anticipation of closing and \$25,000 was for revisions to Bio-Con's public filings to reflect the joint venture.

The attorney's fees are the smallest part of it: Bio-Con has paid \$180,000 on the lease for \$10,000 square feet in the office park and will owe an additional \$120,000 under the five-year lease. Bio-Con has requested that the landlord find other tenants, however the landlord states it has not found another suitable tenant. After about a year, Bio-Con did start to use some of the facility for storage for convenience purposes (instead of warehousing some laboratory equipment). However, it did not really need the space and will not continue to use it past the lease term. (It is true that no one has gone to great lengths to market the property, even at a lower cost or with different buildouts.)

Really, you would like to collect the \$10 million in lost profits you projected for the joint venture. You sold your board on that business plan, and T.J. Miller agreed that these were reasonable profit projections. (In the best of all worlds, the arbitrator would treble the \$10 million and give you a \$30 million dollar award.)

It should at least be clear that Microtex stole the MegaMed contract from Bio-Con. If Microtex had not stolen Bio-Con's secrets, it would not have been in a position to provide any product to MegaMed. Bio-Con was the only company with an effective antimicrobial coating for surgical instruments that would meet MegaMed's needs. You know from the pricing on the MegaMed contract that it would have generated at least \$1,250,000 under the two-year initial period of its contract with MegaMed and \$3,900,000 in anticipated profits during the [Year-0]-[Year+3] period. This is in accordance with the budget you had prepared for T.J. Mills when you thought you were working in a joint venture and were coming up with pricing for the contract. The budget included personnel, equipment and material, and an overhead allocation.

You understand that Microtex will claim that it is making virtually NO profit on the MegaMed contract. That is ridiculous. Of course, it is possible that Microtex's costs will be somewhat higher because it is less efficient, but that is not your problem. Also, you object to Microtex charging all of its R&D expenses for the anti-microbial product development



against the MegaMed contract. The normal recovery period for R&D of this nature is at least 10 years. Moreover, Microtex's R&D expenditures contemplated many contracts for this and related products. It is not appropriate to allocate the entire cost to MegaMed.

You understand that one way of looking at this is to say that Microtex didn't take MegaMed from Bio-Con; it took MegaMed from the joint venture. (Even if Microtex didn't steal technology, it certainly stole a business opportunity, which it should have recognized in good faith as belonging to the joint venture.) Bio-Con's share of the profits in MegaMed under the joint venture would have been 50% or \$625,000 in the first two years and \$1,950,000 between [Year-0]-[Year+3].

It should not be forgotten that Bio-Con is owed \$3 million in liquidated damages under the Confidentiality Agreement. At your first meeting you made it clear that you want your lawyer to press the argument that these damages should be trebled as well, because Microtex "knowingly" and intentionally violated the Confidentiality Agreement.

More recently, when your attorney mentioned that Microtex might be willing to sit down to try to negotiate a settlement, you had a mixed reaction. On the one hand, the legal bills have been coming in thick, fast and high. Thus far, Bio-Con has paid \$18,000 in attorneys' fees to file the arbitration claim, select the arbitration panel (which hasn't done anything yet) and on internal witness interviews, preparation for depositions, taking depositions, and document work. You are aware that the costs have only just begun. There will be more discovery and soon you'll have to be paying serious money for the arbitrators. More importantly, the arbitration is becoming an unwelcome distraction for you and for your senior scientists.

On the other hand, you feel as strongly today about what is right as you ever did. You are confident the truth will come out and Bio-Con will succeed on this claim. Bio-Con can afford the cost of pursuing it and will do so, as long as it's in the company's best interest.

Yes, you'll think of settling, because it might be a wise decision for the company. But settlement must be for the right dollar figure - one that compensates for the wrong that was done and teaches Microtex a lesson.

You set up a meeting with Bio-Con's attorney, to discuss settlement values and how to approach the negotiations. You made it clear that you plan to participate directly in those negotiations.

[You may assume that there is no dispute about the meaning of the Confidentiality Agreement. In other words, if Microtex did the deeds alleged by Bio-Con, it would violate the Confidentiality Agreement. If not, the Agreement would not have been violated.]



Claims for Relief

Bio-Con makes the following legal claims for relief and articulates its damages as follows:

- 1) The parties had an enforceable binding agreement regarding all material terms of the joint venture. Microtex unlawfully breached that agreement, resulting in lost profits to Bio-Con in the amount of \$10 million projected for the entire joint venture over the next 5-10 years.
- 2) In view of joint venture relationship (at least prior to correspondence terminating negotiations), Bio-Con asserts that both parties had a fiduciary relationship to each other and to the venture to act in good faith, and not to seize business opportunities from the joint venture. Bio-Con claims that Microtex's pursuit of the contract with MegaMed violated this obligation, and should disgorge and pay to Bio-Con all originally projected profits under the MegaMed contract, to wit: **\$550,000 in profit under the one-year initial period of its contract with MegaMed and \$4,600,000 in anticipated profits from during the [Year-1]-[Year+3] period, consistent with Exhibit D. [Bio-Con does not trust Bio-Con's later created Summary Statement, Exhibit E.]** At minimum, Bio-Con seeks payment of what would have been its 50% share of these profits had the MegaMed contract been undertaken by the joint venture.
- 3) Based upon its assertion that Microtex never intended to enter the joint venture and was not negotiating in good faith, Bio-Con seeks reliance damages, reimbursement for funds expended on attorney's fees in negotiation, and preparation of documents relating to the joint venture. Bio-Con claims that it spent \$50,000 in attorney's fees relating to the negotiation, and an additional \$50,000 on related document work (\$25,000 in preparation of closing documents and \$25,000 for consequent revisions to its publicly filed documents with the SEC, describing the joint venture.) Bio-Con also seeks reimbursement of \$300,000 in lease payments (\$60,000 a year for 5 years) on the 20,000 square feet of space if leased for the joint venture. (Bio-Con alleges that Microtex knew of and approved entry into the lease on behalf of the joint venture.)
- 4) Apart from its claims arising out of joint venture negotiations or termination, Bio-Con claims that Microtex violated its Confidentiality Agreement and misappropriated trade secrets. Bio-Con seeks recovery of \$2-4 million in liquidated damages pursuant to the terms of the remedial provision in the Confidentiality Agreement. Alternatively, it seeks damages for all of the projected profits from the MegaMed contract under the extended Bio-Con/Microtex joint venture including: **\$550,000 in [Year-2], \$700,000 in [Year-1], as well as \$3,900,000 in anticipated profits for [Year-0]-[Year+3]. At minimum, based on the Microtex profits and loss statements, it seeks 4.0 million in profits realized or projected by Microtex (disregarding R&D expenses).**
- 5) Finally, Bio-Con claims that the Massachusetts Business Fraud Act, M.G. L. c. 93A ' 11, is applicable, because of Microtex's unfair and deceptive conduct. A finding of liability under this statute would require the arbitrator(s) to award attorneys' fees and would also permit an award of double or treble damages. Bio-Con seeks a trebling of damages awarded as well as \$100,000 in attorneys' fees.



Summary of Disputed Issues of Fact

1. Whether there was a binding joint venture agreement and related fiduciary duties.

The parties disagree about whether they had a binding joint venture agreement. Bio-Con contends that the agreement was binding in principle, that there were no material terms at issue, and that disclosure to staff and to MegaMed and entry into a lease evidenced that the joint venture existed. Bio-Con also asserts that the existence of the relationship also created a fiduciary duty on the part of Microtex with respect to Bio-Con and the joint venture and that this fiduciary duty was violated by Microtex's appropriation of a business opportunity with MegaMed. Microtex argues that the parties did not intend to be bound as co-venturers in the absence of a signed joint venture agreement, that certain material terms remained to be negotiated, and that Microtex did not approve or recommend Bio-Con's entering into the lease.

2. Assuming a binding agreement of some sort, whether Microtex withdrew in good faith from the joint venture or the joint venture negotiations.

Bio-Con contends that Microtex's withdrawal from the joint venture or from the negotiations was in bad faith and that Microtex's alleged concerns were manufactured after the fact to justify Microtex's appropriation of a business opportunity with MegaMed (after Microtex had benefited from use of trade secrets). Microtex will respond that its engineers and scientists were not happy with treatment at the meeting with their counterparts at Bio-Con and expressed serious concerns about working together. Bio-Con will dispute these characterizations of the parties' relationship on the basis that (1) at the time of the meeting everyone said the gathering went very well and (2) the meeting resulted in the development of a plan allocating responsibilities among science and engineering teams.

3. Whether Microtex benefited from confidential information obtained from Bio-Con.

Bio-Con contends that Microtex was only able to bring its product to market because of confidential information obtained from Bio-Con, including the information that led it to obtain and destructively test a MGUPHN-coated product. Bio-Con asserts that prior to the development of the MGUPHN technology, there was no system being marketed for the purpose of antimicrobial coating on all forms of medical equipment. Bio-Con further contends that Microtex's contacts with Kay Surrah of Stewart Surgical, the reverse engineering tests Microtex conducted on the sample surgical arm it obtained from Stewart, and the overall similarity of the processes and finished products prove Microtex accelerated the development of its own antimicrobial system by appropriating Bio-Con's groundwork in violation of the confidentiality agreement.

Microtex responds that at the time of its initial contacts with Bio-Con, its own research and development initiative for the competing product was well along, though it had temporarily stalled. However, due to an important breakthrough in late April-early May, the Microtex product reached technical completion. The fact that Microtex contacted Stewart to hire Stewart as a tester for its product proves that Microtex was almost ready to market the product. The similarity of the products merely reflects the limited technological choices available. Microtex contends that it knew of Stewart as an industry leader, and that contact had already been made with Stewart prior to the April meeting at which MGUPHN was demonstrated. The scientist who met with Stewart's Kay Surrah was seeking to determine whether Stewart might



test Microtex's own product. Microtex obtained and took apart the MGUPHN-coated arm to check on the effectiveness of Stewart's testing protocol, not to learn Bio-Con's secrets. Any final refinements in Microtex's product that occurred thereafter were unrelated to information obtained from Bio-Con.

4. Whether Bio-Con waived the protection of the confidentiality agreement by its own actions.

In response to Microtex's argument that it failed to take reasonable steps to protect the confidentiality of the MGUPHN system, Bio-Con argues that Kay Surrah was repeatedly informed of the need for confidentiality orally and in writing and was asked to sign a confidentiality agreement but neglected to sign it. Bio-Con argues that its disclosures to Stewart and other prospective vendors were privileged by custom and practice, a fact supported by depositions of officials of two vendors. Kay Surrah of Stewart will testify that she was aware of Bio-Con's concerns regarding confidentiality. She may also indicate that she understood that Microtex's contact with Stewart was on behalf of the Microtex/Bio-Con joint venture.

Excerpts from Pertinent Statutes and Case Decisions

Mass. G.L.c. 93A'2 (a) provides: "Unfair methods of competition and unfair or deceptive acts or practices in the conduct of any trade or commerce are hereby declared unlawful." Mass. G.L.c. 93A'11 applies the protections of the act to businesses and permits private actions to recover damages and attorneys' fees, and under paragraph 5, authorizes doubling or trebling of actual damages for a "knowing" 93A violation.

See generally Foster-Miller, Inc. v. Babcock & Wilcox Canada, 210 F.3d 1(1st Cir.), Foster-Miller, Inc. v. Babcock & Wilcox Canada, 975 F. Supp. 30 (D. Mass. 1997) (discussing trade secrets and breach of confidentiality agreement between would-be partners).

"A trade secret may consist of any ... compilation of information which is used in one's business, and which gives him an opportunity to obtain an advantage over competitors who do not know or use it." Dynamics Research Corp. v. Analytic Sciences Corp., 9 Mass.App.Ct. 254, 274 n. 23, 400 N.E.2d 1274 (1980).

The hallmark of either a trade secret or a confidentiality agreement is secrecy...one seeking to prevent the disclosure or use of trade secrets or information must demonstrate that he pursued an active course of conduct designed to inform his employees that such secrets and information were to remain confidential. Jet Spray Cooler, Inc. v. Crampton, 361 Mass. 835, 841-842, 282 N.E.2d 921 (1972). The crucial issue to be determined in cases involving trade secrets . . . is whether the information sought to be protected is, in fact and in law, confidential information." Jet Spray Cooler, Inc. v. Crampton, 361 Mass. 835, 840, 282 N.E.2d 921 (1972); There are six factors relevant to this determination: (1) the extent to which the information is known outside of the business; (2) the extent to which it is known by employees and others involved in the business; (3) the extent of measures taken by the employer to guard the secrecy of the information; (4) the value of the information to the employer and to his competitors; (5) the amount of effort or money expended by the employer in developing the information; and (6) the ease or difficulty with which the information could be properly acquired or duplicated by others. *Id.*



Peggy Lawton Kitchens, Inc. v. Hogan, 18 Mass.App.Ct. 937, 939, 466 N.E.2d 138 (1984) (“No doubt, the basic ingredients ... would be common to any chocolate chip cookie. The combination in which those ingredients are used ... constitute a formula which its proprietor could protect from infringement.”)

Prescott v. Morton Intern., Inc., 769 F.Supp. 404, 409 (D.Mass.1990) (a manufacturer cannot claim trade secret protection for an everyday alteration of a known design).

Burten v. Milton Bradley Co., 763 F.2d 461, (1st Cir.1985) holding that although a confidential relationship will typically be implied if the disclosure was made in a business relationship between a purchaser and supplier, the implied confidential relationship may be defeated if the disclosing party voluntarily conveys a trade secret to another without limitation upon its use.

In Levings v. Forbes & Wallace, Inc., 8 Mass.App. Ct. 498, 504 (1979), the Massachusetts Appeals court held that to be deemed unfair or deceptive under 93A'11, conduct must “attain a level of rascality that would raise the eyebrow of someone inured to the rough and tumble of the business world.” However, to be held unfair or deceptive under c. 93A, practices involving even worldly-wise businesspeople do not have to attain the anti-heroic proportions of immoral, unethical, oppressive, or unscrupulous conduct, but need only be within any recognized or established common law or statutory concept of unfairness. Quaker State Oil Ref. Corp. v. Garrity Oil Co., 884 F.2d 1510, 1513 (1st Cir.1989).

But see, Massachusetts Employers Ins. Exchange v. Propac-Mass, Inc. 420 Mass. 39, 42, 648 N.E.2d 435, 438 (Mass. 1995) “We view as uninstructional phrases such as “level of rascality” and “rancid flavor of unfairness” in deciding questions of unfairness under G.L. c. 93A. We focus on the nature of challenged conduct and on the purpose and effect of that conduct as the crucial factors in making a G.L.c. 93A fairness determination.”

Vmark Software, Inc. v. EMC Corporation, 37 Mass.App.Ct. 610 (1994). Holding that although a computer software licensor’s misstatements were made with sufficient awareness of the facts regarding the software’s less than perfect capabilities to be actionable under the traditional tort formula, they were not made so “knowingly” as to warrant punitive sanctions of double damages under the statute authorizing doubling of actual damages for knowing violation of statute prohibiting unfair or deceptive acts or business practices.

Brewster Wallcovering Co. v. Blue Mountain Wallcoverings, Inc., 68 Mass.App.Ct. 582, 864 N.E.2d 518(Mass.App.Ct. 2007) “The mere breach of an oral contract, or mere negligence, without more, does not amount to an unfair trade practices violation.

BIO-CON, INC. V. MICROTEX, INC.**Summary of Potentially Relevant Numbers for Damages Calculations, If Any**

Counsel for Bio-Con and Microtex do not agree that all or any of these figures are relevant to damages calculations, due to disputes regarding liability and the legitimacy of various damages theories. However, for the purposes of this arbitration, they stipulate that the following figures will be presented through witness testimony:

- ✓ At some point, Bio-Con wrote a business plan which projected profits of \$10 million for its 50% share of the entire joint venture over the next 5 years.
- ✓ In the spring of [Year-3], Bio-Con and Microtex had worked on a budget plan [Exhibit D] for MegaMed contract under the joint venture. Thus, plan projected: \$1,250,000 in total profits under the two-year initial period of its contract with MegaMed and \$3,900,000 in anticipated total profits from during the [Year-0]-[Year+3] period.
- ✓ According to the budgeted projections, if the MegaMed contract had been undertaken by the joint venture, each company's share would have been 50%, or \$625,000 for the first two years and \$1,950,000 for the [Year-0]-[Year+3] period.
- ✓ According to Microtex, under its MegaMed contract, Microtex earned profits of \$350,000 for [Year-2]. Assuming the contract proceeds in a consistent manner, it would be on track for additional profits of \$450,000 for [Year-1] (by the time the case would reach an arbitrator). It projects additional profits of \$3,650,000 in [Year-0]-[Year+3]. All of these profit figures are before any accounting offset for the \$5,000,000 in R&D expenses to develop its antimicrobial coating product. When Microtex offsets the \$5,000,000 against profits over the 6-year contract term, it claims losses in the amount of \$1,800,000. Bio-Con asserts that a 10-year write-off period would be appropriate (\$500,000 per year, or \$3,000,000 over 6 years) but also disputes the validity of its allocation to this contract alone.
- ✓ Bio-Con spent a total of \$100,000 in attorneys' fees related to the joint venture, allocated as follows: \$50,000 in attorneys' fees for the negotiation and \$50,000 on related document work (\$25,000 in preparation of closing documents and \$25,000 for consequent revisions to its publicly filed documents with the SEC, describing the joint venture.
- ✓ Bio-Con has paid \$180,000 to date (\$60,000 a year, advance payment for 3 years) on the 20,000 square feet of adjacent space it leased. Under the terms of this 5-year

- lease, Bio-Con will eventually owe an additional \$120,000, unless another tenant is located.
- ✓ The Confidentiality Agreement between Microtex and Bio-Con provides for \$2-4 million in liquidated damages pursuant to the terms of its remedial provision.
 - ✓ A liability finding under Massachusetts Business Fraud Act, M.G. L. c. 93A '11 would require the arbitrator(s) to award attorney's fees and would also permit an award of double or treble damages if the violation was done "knowingly."

Stipulation Regarding Expert Testimony

For the purposes of this litigation, counsel for Microtex and Bio-Con stipulate that there would be contradictory expert testimony.

Bio-Con's expert would testify that the Microtex product is too similar to Bio-Con's MGUPHN to have been obtained without destructive reverse engineering of the MGUPHN coated arm. He would state that he found evidence that the Microtex final product was directly influenced by reverse engineering of MGUPHN.

Microtex's expert will agree that the products are somewhat similar, but he will testify that Microtex's internal records confirm that it was heading in a scientific direction similar to that of MGUPHN and could easily have arrived at the Microtex antimicrobial product without reverse engineering of MGUPHN. He will say that the records show no evidence of reverse engineering being used by the Microtex team to arrive at its product breakthroughs. He will state that there are limited scientific paths to the creation of an antimicrobial coating, and that it is no surprise that Microtex and Bio-Con found approximately the same path.

EXHIBIT A

Microtex, Inc. and Bio-Con, Inc.

**Confidentiality Agreement
[Relevant Excerpts]**

In connection with a proposed joint venture between Bio-Con, Inc. and Microtex, Inc., (“the parties”), the parties have agreed to an exchange of scientific information to evaluate and consider this joint venture. Each party’s proprietary information will be provided to the other ONLY in connection with this proposed joint venture. Each party will maintain the confidentiality of proprietary information provided to it by the other in this scientific exchange and will not use it for any other purpose or publish or provide it to third parties (other than third parties acting as its consultants or agents for the sole purpose of considering the joint venture opportunity).

.....

.... Both parties recognize that violation of the Confidentiality Agreement will have serious consequences and will cause damages which may be difficult to measure, in addition to consequential business damages. Thus, both parties agree that any party proven to have benefitted from violating the terms of this Confidentiality Agreement shall be liable to the other party in an amount of \$2 million in liquidated damages. However, if such violation occurred as a result of purposeful deceit and deception, the liquidated damages liability will be \$4 million. These liquidated damages are not intended to limit other consequential damages in a future legal dispute between the parties.

[Note for the purposes of this negotiation exercise: You should NOT spend time analyzing the language of this agreement.]

Consider it to be CLEAR that, IF Microtex used proprietary information in the way that Bio-Con alleges, that WOULD constitute a violation of this Confidentiality Agreement. However, if Microtex did NOT – if Microtex used the information only in the way it alleges - that would NOT constitute a violation of the Confidentiality Agreement.]

EXHIBIT B

BIO-CON, INC.
ONE BIO-TECH CENTER WELLESLEY, MA 02181
TEL: (781) 237-0090
WEBSITE: www.bio-con.com

B. PARKER, CEO
MICRO-BIOLOGY FOR MAJOR SOLUTIONS

April 20, [Year-3]
Hand Delivery

TJ. Mills, CEO
Microtex, Inc.
Three Millenium Park
Norwood, MA 02348

Dear T.J.:

We should both be extended hearty congratulations on our work on the Bio-Con/Microtex joint venture to finally bring an anti-microbial coating to market.

I'm glad we've agreed on what's important: the 50% split down the line, and the resources to be devoted to the effort, and a rough timeline. It was my pleasure to work with you so intensely over the last month or so, particularly during yesterday's session. At this point, I know we're turning it over to the lawyers and the bean counters to work out the details. It is also important that the science teams from both companies get together as soon as possible to begin what I hope they will all find to be rewarding joint work on this venture project. I will ask Bio-Con's Chief Scientist, Greg Bergman to find a suitable off-site location and to set up the meeting. I hope that you and I will speak to the group briefly in the morning, to kick it off with the right spirit.

As the demonstration showed, MGUPHN looks like a winner. With Microtex's help, we will both win in the market. First, surgical devices and implants, then who knows where the joint venture will go?! At least we do know that none of our competitors will be able to catch up with our joint venture team, at least not for a good long while.

Looking forward to a productive and rewarding venture,

With best regards,

E.B. Parker

EXHIBIT C

Unlocking Microbiology for the Millenium and Beyond
Microtex, Inc.
Three Millenium Park
Norwood, MA 02348

T.J. Mills, CEO

Tel: (781) 391-1001
Fax: (781) 391-1020

April 20, [Year-3]
In Hand Delivery

E.B. Parker, CEO
Bio-Con, Inc.
One Bio-Tech Center
Wellesley, MA 02181

Dear E.B.:

I too thought our meeting went well yesterday. We made good progress toward a working understanding on some major issues (as indicated on your bullet point sheet), though one must always anticipate that additional issues may arise. At this point, I am sufficiently hopeful about the joint venture to turn the negotiations over to the lawyers for additional work to structure a deal to meet both side's interests and objectives.

Thank you for taking the initiative to set up an off-site meeting of our science teams. I agree that we should both attend in the morning to kick it off with words of encouragement. From Microtex's perspective, whether the science teams can work productively together will be an important predictor of the venture's success. The offsite meeting may be seen as a field test of whether the Bio-Con/Microtex cultures will mix well.

I look forward to seeing you again soon.

Sincerely,

T.J. Mills



EXHIBIT D

**Bio-Con / Microtex Joint Venture
Original MegaMed Contract Projections (\$)**

	[Year-2]	[Year-1]	[Year-0]	[Year+1]	[Year+2]	[Year+3]
Revenues						
Contract Revenues	2,500,000	2,800,000	2,800,000	2,800,000	2,800,000	2,800,000
Direct Costs						
Personnel	1,000,000	950,000	1,100,000	1,000,000	950,000	950,000
Product Material Costs	300,000	250,000	300,000	300,000	300,000	300,000
Lab Materials (perishable)	150,000	100,000	100,000	100,000	50,000	50,000
TOTAL DIRECT COSTS	1,450,000	1,300,000	1,500,000	1,400,000	1,300,000	1,300,000
Overhead Costs						
Lab Equipment (depreciation)	100,000	100,000	100,000	100,000	100,000	100,000
Allocated space (lease, taxes)	80,000	80,000	80,000	80,000	80,000	80,000
Utilities	50,000	50,000	50,000	50,000	50,000	50,000
Administrative Overhead	270,000	270,000	270,000	270,000	270,000	270,000
TOTAL OVERHEAD COSTS	500,000	500,000	500,000	500,000	500,000	500,000
NET PROFIT	550,000	700,000	800,000	900,000	1,100,000	1,100,000

EXHIBIT E

Microtex, Inc.
Summary Statement of Profit and Loss on MegaMed Contract
Actual ([Year-2]); Projections ([Year-1]-[Year+3]) (\$)

	[Year-2]	[Year-1]	[Year-0]	[Year+1]	[Year+2]	[Year+3]
Revenues						
Contract Revenues	2,500,000	2,500,000	2,800,000	2,800,000	2,800,000	2,800,000
Direct Costs						
Personnel	1,100,000	1,050,000	1,100,000	1,025,000	975,000	900,000
Product Material Costs	300,000	300,000	350,000	350,000	325,000	325,000
Lab Materials (perishable)	150,000	100,000	100,000	75,000	50,000	25,000
TOTAL DIRECT COSTS	1,550,000	1,450,000	1,550,000	1,450,000	1,350,000	1,250,000
Overhead Costs						
Lab Equipment (depreciation)	130,000	130,000	130,000	130,000	130,000	130,000
Allocated space (lease, taxes)	120,000	120,000	120,000	120,000	120,000	120,000
Utilities	50,000	50,000	50,000	50,000	50,000	50,000
Administrative Overhead	300,000	300,000	300,000	300,000	300,000	300,000
TOTAL OVERHEAD COSTS	600,000	600,000	600,000	600,000	600,000	600,000
PROFIT (Loss)	350,000	450,000	650,000	750,000	850,000	950,000
R&D Expense Allocation	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000
Net Profit (Loss)	(650,000)	(550,000)	(350,000)	(250,000)	(150,000)	(50,000)



Bio-Con, Inc. v. Microtex, Inc.

**Deposition Summary of
Gregory Bergman, Chief Scientist for Bio-Con, Inc.**

I am Gregory Bergman, President of Research, Technology and Development for Bio-Con, Inc., Chief Scientist for the MGUPHN project.

I graduated from Princeton University in 45+ years ago with a B.S. in Chemical Engineering and received my PhD. in Chemical Engineering from MIT six years later. I have worked as a chemical engineer since then, initially at Dow Chemical. I joined Bio-Con 30+ years ago and quickly worked my way up the ranks to my present position. I have general oversight responsibility for all research, technology, and development at Bio-Con.

Because of the importance of the MGUPHN project and the size of Bio-Con's investment in research for MGUPHN, I managed it directly from ground zero. When MGUPHN research and development work was begun nearly 20 years ago, there was no antimicrobial protection system for medical devices (or any other kind of equipment) formed by bonding the antimicrobial coating into the matrix of the surface coating (typically an enamel coating).

I supervised laboratory experiments and made all judgments regarding the direction of the research effort. The development of MGUPHN required hundreds of tests with different heating and cooling regimens and different chemical compounds. Although the general concept of bonding surface coatings by heating processes is well understood, the process has never been successfully employed to bond an antimicrobial coating into the matrix of the surface coating (typically an enamel coating) before Bio-Con's ultimately successful efforts.

When the company CEO first mentioned to me that he was considering a joint venture with Microtex to develop, produce, market, and distribute MGUPHN, I was initially resistant. I didn't see why Microtex should reap 50% of the profits when Bio-Con had invested a tremendous amount of time in successful product development. I understood from the CEO that Microtex representatives claimed to be working on the development of a similar product, which would directly compete with MGUPHN. I wasn't (and aren't) scared off by the threat of a little bit of competition. I am convinced that no product could come close to MGUPHN. I seriously doubted Microtex's claims: if they had a product, why would they be talking about a joint venture to market and produce MGUPHN?

Based upon contacts at conferences over the years, I have never been impressed by the Microtex R& D team. They are generally young, midwestern fraternity types, lacking in top-notch credentials.



Though my initial reaction to the joint venture idea was somewhat negative, I eventually bought in because Microtex did offer the advantage of expanding production engineering, distribution, and marketing capacity. I would acknowledge that Bio-Con's strength is in pure R&D - the highest level of science needed to find microbiology solutions and develop highly technical products. Bio-Con's production capacity is limited, and it has historically produced smaller volume products. If Microtex's larger production engineering, distribution, and marketing capacity could be tapped, the joint venture would make sense.

In order for the joint venture to work, it was necessary to exchange information about MGUPHN with Microtex's scientific team. I attended a lengthy meeting of the parties on April 15, [Year-3] at which members of your scientific team conducted a demonstration of the high-temperature bonding process by which the MGUPHN forms part of the matrix of the surface coating on medical implements. This demonstration provided Microtex with very specific information about the number of heating and cooling cycles, temperature settings, etc. that Bio-Con had to obtain by extensive experimentation. The Microtex representatives did not state that they had an antimicrobial product at that stage of development, or that worked similarly. At the meeting, Microtex representatives were informed that a prototype of the MGUPHN system was being field tested by Stewart Surgical Equipment Company.

Toward the end of April, Bio-Con's CEO held a top-secret meeting of the senior staff. He announced that the joint venture negotiations with Microtex were going very well, and that just about all of the significant terms had been agreed upon. He said that, in effect, it's already started, because we've leased an additional 20,000 square feet for the venture. To make sure the venture runs smoothly, he asked me to work with Microtex's science team to agree upon the way any additional development work, production engineering, distribution, and marketing would be allocated between the two companies.

Thus, I set up a day-long, off-site meeting between Bio-Con's and Microtex's science staff and their marketing and distribution liaisons. I chaired the meeting because I thought it important that an intelligent plan be agreed upon at the end of the day, one that capitalized on the two companies' respective strengths. Each issue was discussed, and all present seemed to agree on a plan that would give most of the hard science judgments to Bio-Con (with input from Microtex) and give production engineering issues to Microtex (with Bio-Con's input).

Sometime in mid-to-late May, I learned from Kay Surrah, a Vice President of Stewart Surgical Equipment Company, that a representative of Microtex had contacted Stewart regarding various technical aspects of MGUPHN-coated surgical arms being tested by Stewart. I knew that Stewart had given Microtex a component of a MGUPHN-coated arm.

At the time, I was not terribly concerned because I assumed that Microtex's inquiry related to the joint venture. If that were not the case, I was confident that Kay Surrah would not have turned over the MGUPHN-coated arm. Kay Surrah had previously been repeatedly informed of the need for confidentiality orally and in writing. (I know that she was asked to sign a confidentiality agreement; I never followed up to check if she had signed it.) In any event, everyone in the industry knows that disclosures to Stewart and other prospective vendors are privileged by custom and practice.

On June 1, my CEO informed the management team that Microtex had withdrawn from the joint venture. I understand that Microtex now claims that my offsite meeting was disastrous and that the meeting convinced the Microtex scientists and the CEO that the joint venture would not work. I strongly believe this is bunk, a fabrication to justify Microtex's bad-faith pullout from the venture while walking away with Bio-Con's secret technical information.

After everything fell apart, I was asked to review evidence obtained from Microtex regarding the MGUPHN-coated arm. In my opinion, that evidence suggests Microtex submitted the arm to destructive "reverse engineering" testing.

I do not believe that Microtex could have developed the system now being used under its MegaMed contract so quickly without improper use of confidential information obtained from Bio-Con. Moreover, the production process and the coating alloy used by Microtex are "substantially similar in every respect" to the MGUPHN system.

Bio-Con, Inc. v. Microtex, Inc.
Deposition Summary of

Claude Ranes, Chief Scientist of Microtex, Inc.

I am Claude Ranes, Chief Scientist for Research and Development for Microtex, Inc.

I graduated from the University of Cincinnati more than 30 years ago with a B.S. in Chemical Engineering and received my Ph.D. in Chemical Engineering from the University of Wisconsin five years later. I have worked as a chemical engineer since then, initially at an Illinois biotech company. I joined Microtex more than 20 years ago and quickly worked my way up the ranks to my present position. I have general oversight responsibility for all research, technology, and development at Microtex.

Because of the importance of Microtex's initiative to develop an antimicrobial coating and the size of Microtex's investment in it, I managed it directly from ground zero. When research and development work was begun nearly 20 years ago, there was no antimicrobial protection system for medical devices (or any other kind of equipment) formed by bonding the antimicrobial coating into the matrix of the surface coating (typically an enamel coating).

I supervised laboratory experiments and made all judgments regarding the direction of the research effort. The developmental process required hundreds of tests with different heating and cooling regimens and different chemical compounds. Although the general concept of bonding surface coatings by heating processes is well understood, the process has never been successfully employed to bond an antimicrobial coating into the matrix of the surface coating (typically an enamel coating). In late [Year-4], my research and experimentation had hit several dead ends. My staff and me were uncertain about which avenues for testing regimens to try next. I had kept the CEO, T.J. Mills generally informed about the project status. However, just after the first of January, [Year-3], I met more formally with him to report on the disappointing results and to discuss the additional investment needed to explore alternative hypotheses in research.

When the CEO first mentioned to me that he was considering a joint venture with Bio-Con to develop, produce, market, and distribute an antimicrobial coating product, I was resistant. Because Bio-Con's MGUPHN was allegedly near completion, I feared that the joint venture would just want to "adopt" MGUPHN, without considering how some of Microtex's experimental findings could contribute to a better product. I hated to see all of my team's efforts put on a shelf after so much time had been invested.

On a personal and professional level, I was also concerned that the Microtex science staff (including myself) would be marginalized or patronized by the Bio-Con team, particularly if MGUPHN became the joint venture product. I know many of the Bio-Con team from contacts at



conferences over the years, and I have found them to be arrogant, smug, and too formal - perhaps they are a bit older than most of my team. They are the types that always manage to slip in an east coast Ivy League reference.

Though my initial reaction to the joint venture idea was negative, I eventually told the CEO that I'd try to be open-minded. After all, if MGUPHN really was a great product, it would make sense to start from there. I know that Bio-Con's production capacity is limited, and it has historically produced smaller volume products. If Microtex's larger production engineering, distribution, and marketing capacity could be tapped, the joint venture might make sense.

In order for the joint venture to work, it was necessary to exchange information about MGUPHN with Microtex's scientific team. I attended a lengthy meeting of the parties on April 15, [Year-3] at which members of Bio-Con's scientific team conducted a demonstration of the high-temperature bonding process by which the MGUPHN forms part of the matrix of the surface coating on medical implements. This demonstration provided Microtex with very specific information about the number of heating and cooling cycles, temperature settings, etc. My staff and I observed these demonstrations carefully; it was interesting to see how similarly Bio-Con had approached the experimentation process. At the meeting, Bio-Con did mention that a prototype of the MGUPHN system was being field tested by Stewart Surgical Equipment Company.

After the demonstration, I tried to communicate to T. J. that any joint venture would have to "feel right" for the scientists and engineers who would be working on it. Otherwise, Microtex would risk losing some of its most talented scientists and engineers (including me) to a tight job market. For that reason, T. J. suggested that Bio-Con's CEO ask his Chief Scientist to convene an off-site meeting of both scientific teams to talk about how they would work together in the joint venture, particularly on the anticipated MegaMed contract.

Bio-Con's CEO's opening remarks were energetic and optimistic, but I was very upset when he dismissed the scientific research and development talent at Microtex, referring to Bio-Con's "gift" of necessary scientific rigor. I also noticed that he seemed to refer to the venture as something that already existed, rather than an option being seriously explored. Early the next morning, I marched into T.J. Mill's office, angry, insulted, and distraught. I fumed: "Bio-Con is a bunch of high-brow, self-righteous manipulators. They didn't want to "dialog" about a plan, they wanted to cram their superiority and their plan down our throats. They kept referring to the "midwestern roots" of Microtex's team and throwing in comments about us having watched better basketball in graduate school. They said that it was all about how important it was to recognize differences in "corporate culture" and how glad they were that we'd be so friendly and easy to work with, and how they hoped we'd put up with some of the high-strung easterners from Bio-Con. They were not-so-subtly saying that they were smarter, went to Ivy League schools, and planned to push us around. It was insulting. They dismissed



any notion that we'd have any value in the science and experimentation phase but kept saying that we'd be great at the engineering and production for large quantities of their MGUPHN. Any joint venture is going to be without me, I'll be out of this joint, and believe me, that will be true for at least half of the team. We sat there and took in everything they had to say, but now they can take a flying leap. The whole team talked about it last night. If you're thinking of a joint venture to get MGUPHN because we've been slow on our antimicrobial product, just wait. We did some brainstorming, and we think we have a few new experimental strategies to try yet for Microtex before we throw in the towel to Bio-Con and MGUPHN."

T.J. Mills encouraged me to keep working on the Microtex product, but to keep an open mind about MGUPHN and Bio-Con. He also promised that any joint venture deal would be written to ensure equal footing for Microtex's science team.

Shortly thereafter, I directed a series of experiments for the Microtex antimicrobial product which proved quite fruitful. I told T.J. that, based on these experiments, I was more confident of my team's ability to produce a competing product. On May 13, I rushed excitedly into T.J.'s office and said: "I feel like Henry Higgins saying this, but we've got it. By Jove, we've got it!!" I explained that there had been a major breakthrough in the lab on the molecular structure of Microtex's antimicrobial product. I said I thought a few bugs could be worked out over the next week, and then I should hurry to test the product, to ensure that engineering and production in larger quantities would be able to bring a consistent quality product to market. T.J. authorized me to begin the testing phase.

Shortly thereafter, I contacted Kay Surrah, a Vice President of Stewart Surgical Equipment Company. I had known Kay for many years, through various industry conferences. Also, I had occasionally used Stewart Surgical to test other Microtex products. Stewart's pricing for testing services was higher than the average, so I tended to use other testing companies. On the other hand, Stewart's service and professionals were known to be absolutely first-rate. That's why I was interested in working with Stewart on the antimicrobial product, NOT because of the April meeting. I told T.J. that I had discussed various technical aspects of the testing protocols performed by Stewart on MGUPHN-coated surgical arms. Kay Surrah provided me with a component of a MGUPHN-coated arm from Stewart. While my team did do some destructive testing on the MGUPHN-coated arm, it was to check the effectiveness and efficiency of Stewart's testing protocols against possible product flaws.

I AM ADAMANT THAT I DID NOT TELL KAY SURRAH THAT MICROTEx WAS GOING FORWARD WITH ANY JOINT VENTURE WITH BIO-CON. I SPOKE WITH HER ABOUT TESTING FOR A MICROTEx ANTI-MICROBIAL PRODUCT. I AM EQUALLY ADAMANT THAT I DID NOT DO DESTRUCTIVE TESTING ON THE MGUPHN COATED ARM IN ORDER TO DEVELOP THE MICROTEx PRODUCT. I ONLY WENT TO STEWART BECAUSE I WAS IN THE FINAL PHASE, WHICH REQUIRES TESTING BY AN OUTSIDE COMPANY. I am not surprised that the Microtex product and Bio-Con's

MGUPHN are somewhat similar. It turns out that there are few feasible paths through the scientific and technical challenges. We both found them.

Since the beginning, I have been working on the fulfillment of the MegaMed contract for Microtex's antimicrobial coating of many kinds of medical equipment. It was a two-year contract, with an option at the end of that period (early [Year-0]) to extend the contract for another three years. MegaMed exercised this option; Microtex has now agreed to fulfill MegaMed's requirements for equipment coating until early [Year+3].

While the MegaMed contract is going well, it has not proven to be quite as profitable as originally projected by the business types. Production on a large scale has proven to be more expensive than originally anticipated; costs have been significantly higher than projections. Microtex's profit, before deduction for the R&D investment, was only \$800,000 in the first two years and will only be \$3,200,000 in [Year-0] – [Year+3]. After deduction of the \$5,000,000 for the up-front R& D investment, this project is a clear loss.

Bio-Con, Inc. v. Microtex, Inc.
Deposition Summary of

Kay Surrah, Vice President of Stewart Surgical Equipment Company

I am Kay Surrah, Vice President of Stewart Surgical Equipment Company. I graduated from the University of Virginia with a B.S. in Chemistry more than 25 years ago and went on to get a Masters in Biochemistry from Brandeis three years later. My role at Stewart has recently moved from the science side to the business side, with my appointment as Vice President less than a year ago.

I have long known Microtex and Bio-Con as players in the field. I would recognize a number of their scientists as having presented on panels at various conferences in the industry. I have probably known Claude Raney of Microtex for at least five years on a professional level. Though I have no personal relationship, I know him as a friendly, well-liked reasonably young scientist, with a reputation for honesty. Of course, I also know of Bio-Tech's Chief Scientist, Bergman. He is much more formal in style and a bit older than Raney, but certainly well regarded for his intellect and success.

I had heard a number of rumors about a possible joint venture between Bio-Con and Microtex, probably beginning in February or March [Year-3]. I don't remember precisely where I first heard the rumors, but certainly, E.B. Parker of Bio-Con was not denying them. It was well known that Parker was speaking openly of the Microtex/Bio-Con joint venture for the production and distribution of MGUPHN (perhaps to discourage potential competitors) so I had assumed it was true.

The year before, Bio-Con had contracted with Stewart Surgical for testing of MGUPHN in its application on a surgical arm (and had given Stewart Surgical a number of samples). I remember that they had also sent a written confidentiality agreement regarding these samples, but it ended up in a pile somewhere on my desk. At the time, I thought Bio-Con's written form agreement was silly and formalistic; everyone knows that such items are to be kept away from potential competitors. It is standard practice in the industry.

I released Bio-Con's MGUPHN coated surgical arm to Claude Raney of Microtex only because I knew that Microtex and Bio-Con were using MGUPHN in a joint venture. I believe Raney mentioned the joint venture when he asked if he could check Stewart's testing protocols. I don't remember him saying the protocols were of interest for testing a different Microtex product. But even if he had, I still would have given him the MGUPHN arm because of the joint venture.

I thought (though I am not certain) Raney asked for a Bio-Con MGUPHN sample arm to test, but I admit that I don't remember exactly when in the conversation or his specific words. If he did, it would have confirmed for me that the parties were in a joint venture: how else would Raney have known the arm was being tested at Stewart? Even if Raney didn't specifically request it,

because I thought they were joint venturers, I might have sent the MGUPHN coated arm along with the testing protocols Stewart used. What better way for me to demonstrate the soundness of our testing protocols? From my perspective, because of their joint venture, it was safer to give him MGUPHN than it would have been to give him another product provided by another biotech company and potential Microtex competitor. Microtex would already have access to the MGUPHN technology under the joint venture. I didn't anticipate that Microtex would submit the MGUPHN coating to destructive reverse engineering: Why would they have to if they were already working with Bio-Con?

I have since learned that the joint venture was off by the time Raney had spoken to me, or perhaps it had never really existed. I am horrified if I played any unwitting role in what amounts to biotech espionage. I am personally furious if Raney intentionally duped me into giving him the MGUPHN coated arm.



Bio-Con v. Microtex PRE-Negotiation Case Assessment Questionnaire

Role - Please check one

_____ Attorney for Bio-Con
_____ CEO of Bio-Con

_____ Attorney for Microtex
_____ CEO of Microtex

As you know, if the Bio-Con/Microtex case doesn't settle in negotiation, it will proceed to arbitration by prior agreement of the parties (through counsel). Please consider the following questions, record your answers, and turn them in (on the fourth floor) before you negotiate.

What do you estimate to be the likelihood that the arbitrator(s) will find that Microtex is liable to Bio-Con (in other words, a plaintiff's award on liability)? _____%_____.

2. Without using percentages, what language would you choose to describe the likelihood of a liability finding – an award in favor of Bio-Con against Microtex - to your client (if you are the attorney) or to other corporate officers (if you are a CEO)?

_____ (For example, would you say *very likely*, *extremely unlikely*, *not at all likely*, *a slam dunk*...? Please just state any words you would use.)

3. If there were a liability finding by the arbitrator(s), what do you anticipate is the range within which the arbitrator's award would be likely to fall? \$_____ to \$_____ (In other words, if an arbitrator were to find liability, you believe it very unlikely that the award would be outside of this range).

4. What is your best guess as to MOST LIKELY damages award number (within that range)? _____

5. What theory(ies) are you relying upon to arrive at these damages estimates?

In many arbitration processes, the parties and counsel can choose whether to proceed before a single arbitrator or a three-member arbitration panel. Generally, the arbitrator(s) are either simply agreed upon between the parties, or they work through a selection process administered by a dispute resolution organization such as the AAA (American Arbitration Association) or the CPR Institute for Dispute Resolution. All arbitrators are required to serve as neutrals.

6. From your side's perspective, would you prefer a single arbitrator or a three-member panel? _____; Why?

7. What characteristics or background do you think it would be important for the arbitrator(s) to have?
